

COMPANY INTRODUCTION

In 2021, The Construction Project Of More Than 90000 Square Meters Of Plant In Ezhou, Hubei Province Was Started.



PROFINDER KNOWLEDGE ACQUIRED, GREATER LEAP ACHIEVED

Founded in 2009, as one of the earliest specially-shaped LED filament lighting products manufacturers, Dongguan BoFa Electric Technology Co., Ltd, has its headquarter located in Dongguan which is a famous city for manufacturing worldwide.

Bofa has been developing speedily in the past decade, so to possess its factory area of over 20,000 sqms, on which 5 advanced automatic production lines and another 30 semi-automatic lines are equipped with dozens of smart testing machines matched accordingly.

Through joint arduous work done by the professional 100-staff-R&D & Managerial -team and all 500 production workers, Bofa's annual turnover has reached over 30 million USD yearly.

Bofa has been doing its utmost to become an environmentally-friendly manufacturer all these years, as the act to protect the environment during manufacturing is believed internationally by all leading enterprises.

Bofa hence would invite you to partner with us so to grow together steady and quick, regardless of intenser competition internationally in the scientific & technological industry because a great enterprise is always born in adversity.



Bofa has been doing its utmost to become an environmentally-friendly manufacturer all these years, as the act to protect the environment during manufacturing is believed internationally by all leading enterprises.

Bofa hence would invite you to partner with us so to grow together steady and quick, regardless of intenser competition internationally in the scientific & technological industry because a great enterprise is always born in adversity.



ENTERPRISE HONOR

Bofa hance would invite you to partner with us so to grow together steady and quick, regardless of intenser competition internationally in the scientific & technological industry because a great enterprise is always born in adversity.



CATALOGUE



NEW PRODUCTS
001-006



RGBW SMART BULB
007



CCT SMART BULB
008



SMART BULB
009-010



METALIC COPPER
011-014



METALIC GOLD
015-018



METALIC SILVER
019-022



METALIC CYAN
019-022



PAINTED BULB
023-030



PORCELAIN
031-034



RAINBOW BULB
035-036



EXTRA LARGE BULB
037-046



SPECIAL SHAPED BULB
047-056



ELECTROPLATING COLOR
057-058



HALF GOLD
059-070



FROSTED BULB
071-072



PLASTIC BULB
073-074



MIRROR FRONT LAMP
075-076



MICROVAVE BULB
077



REFRIGERATOR LED BULB
078



LED FILAMENT BULB
079-084



LED REGULAR FILAMENT BULB - AMBER
085-090



DECORATIVE BULB
091-092



W-FILAMENT BULB
093-096



COPPER WIRE LAMP
097-100



3D FIREWORK LAMP
101-104



STRING LAMP
105-112



CEILING LAMP
113-114



SPECIAL SHAPED BULB
047-056



ELECTROPLATING COLOR
057-058



HALF GOLD
059-070



FROSTED BULB
071-072



PENDANT LAMP
115-118



WALL LAMP
119-125



TABLE LAMP
126-134



LAMP HOLDER
135-136

CATALOGUE



NEW PRODUCTS

Extra slim flexible filament bulb
Original tomas edison design but led chip





G80
220-240V 4W-1800K 180LM

Ø:80mm H:118mm Amber



G125
220-240V 5W-1800K 180LM

Ø:140mm H:405mm Amber



G95
220-230V 5W-2000K 180LM

Ø:95mm H:138mm Amber



G125
220-240V 4W-1800K 180LM

Ø:95mm H:138mm Amber



G95
220-230V 4W-1800K 180LM

Ø:95mm H:138mm Amber



ST64
220-240V 4W-2200K 180LM

Ø:64mm H:140mm Half Red





G125-PS-S13
220-240V 4W-1800K 100LM

Ø:125mm H:176mm Smoke



ST64-PS-S3
220-240V 4W-1800K 100LM

Ø:64mm H:140mm Smoke



A19-PA-T13
220-240V 4W-1800K 160LM

Ø:60mm H:108mm Amber



T64-PS-S3
220-240V 4W-1800K 160LM

Ø:30mm H:225mm Amber



A19-PS-T13
220-240V 4W-1800K 100LM

Ø:60mm H:108mm Smoke



A19-PS-S13
220-240V 4W-1800K 100LM

Ø:95mm H:138mm Smoke



ST64-PA-SL3
220-230V 4W-1800K 160LM

Ø:64mm H:140mm Amber



ST64-PA-S3
220-240V 4W-1800K 160LM

Ø:64mm H:140mm Amber



RGBW SMART BULB




works with Amazon Alexa
works with Google Assistant
WiFi tuya



- WIFI Technology, Mobile APP / Amazon Alexa / Tmall Genie / Google Home Control
- Unlimited Control Distance As Long As WIFI Has Coverage
- Multiple Device Control Feasible, Allow Time Scheduling
- 4w RGB+W Filament Setting, Optional Light Efficacy At Different Coler Light
- No Light Flickering IC Driver



B22 E26 E27



CCT SMART BULB



works with Amazon Alexa
works with Google Assistant
WiFi tuya



- WIFI Technology, Mobile App / Amazon Alexa / Tmall Genie / Google Home Control
- Unlimited Control Distance As Long As Wifi Has Coverage
- Multiple Device Control Feasible, Allow Time Scheduling
- Control The Color Temperature And Dimmable
- Different Coler Light
- No Light Flickering Ic Driver



B22 E26 E27



SMART BULB



 works with Amazon Alexa
 works with Google Assistant



- Remote Controller To Control The Light Bulbs
- Unlimited Control Distance As Long As Wifi Has Coverage
- Multiple Device Control Feasible, Allow Time Scheduling
- Control Dimmable And Cct Changes, With Night Light Function
- No Light Flickering Ic Driver



B22



E26



E27



METALIC COPPER

METALIC COPPER



METALIC COPPER



— JP110-MC-S —

220-230V 4W-1800K 40LM

Ø:110mm H:307mm Metallic Copper



— A165ET-MC-S —

220-230V 4W-1800K 100LM

Ø:165mm H:280mm Metallic Copper



METALIC COPPER



— G125ET-MC-S —

220-230V 4W-1800K 100LM

Ø:125mm H:178mm Metallic Copper



— G150LZ-MC-S —

220-230V 4W-1800K 100LM

Ø:150mm H:200mm Metallic Copper



The Glass Is Coating With Special Gold Material Reflect An Amazing Warm And Fancy Light Effect.



IN 80 DAYS
AROUND THE WORLD
ONE CLASSIC



A165ET-MG-S

220-240V 5W-2200K 50LM

Ø:165mm H:280mm Metallic Gold



G125ET-MC-S

220-240V 4W-2380K 100LM

Ø:125mm H:176mm Metallic Gold



G150LZ-MC-S

220-230V 6W-1800K 250LM

Ø:150mm H:200mm Metallic Gold



METALIC SILVER

METALIC SILVER





A165ET-MM-S
220-240V 4W-1800K 100LM

Ø:165mm H:380mm Metallic Silver



G125ET-MM-S
220-240V 4W-1800K 100LM

Ø:125mm H:176mm Metallic Silver



G150LZ-MM-S
220-230V 6W-1800K 150LM

Ø:150mm H:200mm Metallic Silver



METALIC CYAN

METALIC BLUE

— R220-MCY-S —

220-240V 4W-1800K 100LM

Ø:200mm H:280mm Metallic Cyan



— G200-MBU-S —

220-240V 4W-1800K 100LM

Ø:220mm H:225mm Metallic Blue



— T170-MCY-S —

220-230V 6W-1800K 150LM

Ø:170mm H:270mm Metallic Cyan



— TT170-MBU-S —

220-230V 6W-1800K 150LM

Ø:170mm H:270mm Metallic Blue



METALIC PURPLE

METALIC COPPER

G200-MPR-S

220-240V 4W-1800K 100LM

Ø:200mm H:280mm Metallic Purple



R220-MC-S

220-240V 4W-1800K 100LM

Ø:220mm H:225mm Metallic Copper



R220-MPR-S

220-230V 6W-1800K 150LM

Ø:220mm H:225mm Metallic Purple



T170-MC-S

220-230V 6W-1800K 150LM

Ø:170mm H:270mm Metallic Copper



METALIC GOLD

METALIC RAINBOW

G200-MG-S

220-240V 4W-1800K 100LM

Ø:200mm H:280mm Metallic Gold



T200-MR-S

220-240V 4W-1800K 100LM

Ø:200mm H:280mm Metallic Rainbow



R220-MG-S

220-230V 6W-1800K 150LM


Ø:220mm H:225mm Metallic Gold



T170-MR-S

220-230V 6W-1800K 150LM

Ø:170mm H:270mm Metallic Rainbow



PAINTED BULB SERIES



The Painting Color
Of Bulbs
Could Be Different
Match



T170-JBBU-S
220-230V 5W-1800K 120LM
Ø:170mm H:270mm Half Blue

T170-JBGE-S
220-230V 5W-1800K 120LM
Ø:170mm H:270mm Half Green

- Ra >90
- Dimmable
- Base cap:E27
- 25,000hours

- Ra >90
- Dimmable
- Base cap:E27
- 25,000hours



T170-QDBU-S
220-230V 6W-1800K 120LM
Ø:170mm H:270mm Dark Blue

T170-QFBG-S
220-230V 6W-1800K 120LM
Ø:170mm H:270mm Light Blue

- Ra >90
- Dimmable
- Base cap:E27
- 25,000hours


- Ra >90
- Dimmable
- Base cap:E27
- 25,000hours



— R220-JBBU-S —
220-230V 5W-1800K 140LM
Ø:220mm H:225mm Half Blue



— R220-JBBA-S —
220-230V 5W-1800K 140LM
Ø:220mm H:225mm Half Brown



— T120-JBGE-S —
220-230V 5W-1800K 140LM
Ø:120mm H:198mm Half Green



— T120-JBBU-S —
220-230V 5W-1800K 140LM
Ø:120mm H:198mm Half Blue



— T120-JBPL-S —
220-230V 5W-1800K 140LM
Ø:120mm H:198mm Half Purple



— R220-JBPN-S —
220-230V 5W-1800K 140LM
Ø:220mm H:225mm Half Pink



— R220-QBG-S —
220-230V 5W-1800K 14LM
Ø:140mm H:405mm Half Green



— C150-JBOR-S —
220-230V 5W-1800K 140LM
Ø:150mm H:245mm Half Orange



— A165D-JBBG-S —
220-230V 5W-1800K 140LM
Ø:165mm H:313mm Blue




— A165D-JBHB-S —
220-230V 5W-1800K 140LM
Ø:165mm H:313mm Half Light Blue





— **D140-JBLS** —
 220-230V 5W-1800K 100LM
 Ø:140mm H:200mm Half Green



— **D140-JBZS** —
 220-230V 5W-1800K 100LM
 Ø:140mm H:200mm Half Brown



— **D140-JBHR-S** —
 220-230V 5W-2200K 100LM
 Ø:140mm H:200mm Half Red



— **D160-QPN-S** —
 220-230V 5W-2200K 100LM
 Ø:140mm H:405mm Pink



— **G125-JBHS-T** —
 220-230V 4W-2200K 100LM
 Ø:120mm H:176mm Half Smoke



— **G125-JBLS-T** —
 220-230V 4W-2200K 100LM
 Ø:125mm H:176mm Half Green



— **G125-JBZS-T** —
 220-230V 4W-2200K 100LM
 Ø:120mm H:176mm Half Brown



— **ST64-JBHS-S** —
 220-240V 5W-2200K 120LM
 Ø:64mm H:140mm Half Smoke



— **ST64-JBLS-S** —
 220-240V 5W-2200K 120LM
 Ø:64mm H:140mm Half Green



— **ST64-JBZS-S** —
 220-240V 4W-2200K 100LM
 Ø:64mm H:140mm Half Brown



WARM FILAMENT LED SERIES



— G125-PW-C8 —
 220-240V 8W-4000K 800LM
 Ø:125mm H:176mm Porcelain



— G200-PW-C8 —
 220-240V 8W-4000K 800LM
 Ø:200mm H:280mm Porcelain



— R160-PW-C6 —
 220-240V 6W-2700K 600LM
 Ø:160mm H:215mm Porcelain



— T120-PW-C6 —
 220-240V 6W-2700K 600LM
 Ø:120mm H:198mm Porcelain





— **G150W-PW-C6** — 220-240V 6W-2700K 600LM Ø:150mm H:195mm Porcelain

— **G150D-PW-C6** — 220-240V 6W-2700K 600LM Ø:150mm H:195mm Porcelain

— **G125B-PW-C6** — 220-240V 6W-2700K 600LM Ø:125mm H:176mm Porcelain

— **G125W-PW-C6** — 220-240V 6W-2700K 600LM Ø:125mm H:176mm Porcelain



— **MRF200-PW-C6** — 220-240V 6W-2700K 600LM Ø:200mm H:152mm Porcelain

— **MR200-PW-C6** — 220-240V 6W-2700K 600LM Ø:200mm H:165mm Porcelain

— **T145-PW-C6** — 220-240V 6W-2700K 600LM Ø:145mm H:178mm Porcelain

— **SQ95-PW-C4** — 220-240V 4W-2700K 400LM Ø:95mm H:145mm Porcelain



— **G95-PW-C6** — 220-240V 6W-2700K 600LM Ø:95mm H:140mm Porcelain

— **G150-PW-C6** — 220-240V 6W-2700K 600LM Ø:150mm H:198mm Porcelain

— **A19-PW-C4** — 220-240V 4W-2700K 400LM Ø:60mm H:108mm Porcelain

— **ST64-PW-C4** — 220-240V 6W-2700K 400LM Ø:64mm H:140mm Porcelain



— **C35-PW-C4** — 220-240V 4W-2700K 360LM Ø:35mm H:98mm Porcelain

— **T30-185-PW-V4** — 220-240V 6W-2700K 600LM Ø:30mm H:185mm Porcelain

— **T30-30-PW-V8** — 220-240V 6W-2700K 600LM Ø:30mm H:300mm Porcelain

— **G45-PW-V4** — 220-240V 5W-2700K 400LM Ø:45mm H:75mm Porcelain





G125ET-MG-S

220-240V 4W -1800K 200LM

Ø:125mm H:176mm Rainbow



DR80-PR-S

220-240V 4W -1800K 200LM

Ø:80mm H:326mm Rainbow



JP110-PR-S

220-240V 4W -1800K 200LM

Ø:110mm H:307mm Rainbow



EXTRA LARGE BULB



EXTRA LARGE BULB



G300-PA-V

220-240V 8W -2200K 500LM

Ø:300mm H:405mm Amber



CRI



Dimmable



Base cap: E27



25,000hour

Out curviest medel with a spiraled led. Eht our led shaped leds and the gold ginish give light source a classic geel. This model roeks best with our E27 Cord Set.



— PG200-PA-S —

220-240V 5W -1900K 200LM

Ø:200mm H:408mm Amber



— HP215-PA-S —

220-240V 5W -1900K 200LM

Ø:215mm H:362mm Amber



— WCGL-PA-S —

220-240V 5W -1900K 200LM

Ø:200mm H:335mm Amber



— R220-PA-S —

220-240V 5W -1900K 200LM

Ø:200mm H:225mm Amber





— BT180-PA-V12 —

220-240V 10W -2200K 800LM

Ø:180mm H:340mm Amber



— TT75-PA-V8 —

220-240V 8W -2200K 620LM

Ø:75mm H:310mm Amber



— CT180-PA-V8 —

220-240V 8W -2200K 650LM

Ø:180mm H:650mm Amber





C150-PS-S

220-240V 5W -1900K 120LM

Ø:150mm H:330mm Smoke



D1440-PS-S

220-240V 5W -1900K 120LM

Ø:140mm H:405mm Smoke



A165ET-PS-S

220-240V 5W-1900K 120LM Ø:165mm H:280mm Smoke



EXTRA LARGE BULB



— G200-PS-S —

220-240V 5W -1800K 120LM

Ø:200mm H:280mm Smoke



— HP160-PS-S —

220-240V 5W -1800K 120LM

Ø:160mm H:253mm Smoke



EXTRA LARGE BULB



SPECIAL SHAPED BULB



SPECIAL SHAPED BULB

— SG125-PS-S —

220-240V 5W-1900K 120LM

Ø:125mm H:262mm Smoke



Out curviestmadel with a spiraled led. Eht ourled shaped leds and the gold ginish give light source a classic geel. This model roeks best with our E27 Cord Set.





— CH160-PS-S —

220-240V 5W -1800K 120LM

Ø:160mm H:250mm Smoke



— BT180-PA-S —

220-240V 4W -1800K 160LM

Ø:140mm H:405mm Smoke



— G125SBW-PS-S —

220-240V 5W -1800K 120LM

Ø:125mm H:165mm Smoke



— FDTW200-PS-S —

220-240V 5W -1800K 120LM

Ø:200mm H:165mm Smoke





— FD200-PA-CIRCLE —

220-240V 5W -1900K 100LM

Ø:200mm H:152mm Smoke



— G125SBW-PA-V4 —

220-240V 4W -2200K 320LM

Ø:125mm H:165mm Amber



— PEPPER80-PBGE-S —

220-240V 5W -1900K 140LM

Ø:140mm H:405mm Green



— G150SBW-PA-V4 —

220-240V 4W -2200K 320LM

Ø:150mm H:198mm Amber





— G95PD-PA-V4 —

220-240V 4W -2200K 320LM

Ø:95mm H:138mm Amber



— G95FD-PA-V4 —

220-240V 4W -2200K 320LM

Ø:140mm H:405mm Amber



— SMR200-PA-T —

220-240V 4W -1800K 150LM

Ø:200mm H:165mm Amber



— MR200-PA-S —

220-240V 4W -1800K 150LM

Ø:140mm H:405mm Amber





— 125HT-PA-S —
220-240V 4W-1800K 150LM
Ø:125mm H:165mm Amber

— 125HT-PA-V4 —
220-240V 4W-2200K 320LM
Ø:125mm H:165mm Amber

— DR80-PA-S —
220-240V 5W-1800K 150LM
Ø:80mm H:320mm Amber

— JP120-PA-SL —
220-240V 5W-1800K 150LM
Ø:140mm H:405mm Amber



— 125PD-PA-V4 —
220-240V 4W-2200K 320LM
Ø:125mm H:160mm Amber

— 145ST-PA-V4 —
220-240V 4W-2200K 320LM
Ø:140mm H:405mm Amber



SPECIAL SHAPED BULB



SPECIAL SHAPED BULB



BT180-PA-S

220-240V 5W -1800K 150LM

Ø:140mm H:405mm Amber



BT180-PA-S

220-240V 5W -1800K 150LM

Ø:140mm H:405mm Amber



HALF COATED BULB

HALF COATED BULB





G125-HS-V6
220-240V 6W-2700K 500LM
Ø:125mm H:176mm Half Silver



G95-HS-V6
220-240V 6W-2700K 400LM
Ø:140mm H:405mm Half Silver



G200-HS-VL
220-240V 6W-2700K 500LM
Ø:140mm H:405mm Half Silver



G200-HS-V8L
220-240V 6W-2700K 500LM
Ø:140mm H:405mm Half Silver



A19-HS-V8
220-240V 7W-2200K 400LM
Ø:140mm H:405mm Half Silver



G45-HS-V6
220-240V 4W-2200K 300LM
Ø:140mm H:405mm Half Silver






G125-HG-V4

220-240V 4W -2200K 300LM
Ø:120mm H:176mm Half Gold



G95-HG-V4

220-240V 4W -2200K 300LM
Ø:95mm H:140mm Half Gold



A19-HGV4
220-240V 4W -2200K 300LM
Ø:140mm H:405mm Half Gold



G80-HG-V8
220-240V 7W -2200K 500LM
Ø:80mm H:118mm Half Gold





G300-HG-V6L

220-240V 6W -2200K 420LM

Ø:200mm H:280mm Half Gold



G125-HRG-V6

220-240V 6W -2700K 420LM

Ø:125mm H:176mm Half Rose Gold



G80-HG-V8L

220-240V 7W -2200K 600LM

Ø:80mm H:118mm Half Gold



A19-HRG-V4

220-240V 4W -2200K 300LM

Ø:140mm H:405mm Half Rose Gold



G95-HRG-V6

220-240V 6W -2700K 420LM

Ø:140mm H:405mm Half Rose Gold





R220-HB-V6
220-240V 6W-2700K 420LM
Ø:220mm H:405mm Half Black



G80-HB-V6
220-240V 6W-2700K 420LM
Ø:80mm H:118mm Half Black



G125-HB-V4
220-240V 4W-2700K 300LM
Ø:125mm H:176mm Half Black



A19-HB-V4
220-240V 4W-2700K 300LM
Ø:140mm H:405mm Half Black



ST64-HB-V4
220-240V 4W-2700K 300LM
Ø:140mm H:405mm Half Black



ST64-HB-V4
220-240V 4W-2700K 300LM
Ø:140mm H:405mm Half Black





R220-HG-V4L
220-240V 4W-2700K 300LM
Ø:200mm H:280mm Half Gold



R220-HG-V4

220-240V 4W-2700K 300LM
Ø:220mm H:225mm Half Gold



FROSTED BULB

FROSTED BULB



A19-PF-C4

A19-PF-C4

T63-PF-C4

R220-JBBU-S

220-240V 4W-2200K 30LM

220-240V 4W-2700K 300LM

220-240V 4W-2700K 260LM

220-240V 5W-1800K 150LM

Ø:60mm H:108mm Frosted

Ø:60mm H:108mm Frosted

Ø:63mm H:115mm Frosted

Ø:140mm H:405mm Frosted



C35-PF-C4

A60-PS-35

ST64-PF-C4

A19-PF-C6

220-240V 5W-1800K 150LM

220-240V 5W-1800K 150LM

220-240V 4W-2700K 260LM

220-240V 56W-2700K 400LM

Ø:140mm H:405mm Frosted

Ø:35mm H:68mm Frosted

Ø:64mm H:140mm Frosted

Ø:60mm H:108mm Frosted





G40P-QC-V2

220-240V 1W-2700K 60LM

Ø:40mm H:68mm Clear



G45P-QC-V2

220-240V 1W-2700K 60LM

Ø:45mm H:75mm Clear



A19P-PCA-SMD

220-240V 7W-3000K/4200K/6000K 1650LM

Ø:60mm H:108mm White



A19P-PCA-SMD

220-240V 7W-3000K/4200K/6000K 810LM

Ø:60mm H:108mm White



A19-QC-V4

220-240V 4W-2700K 300LM

Ø:140mm H:405mm Clear



ST64P-QC-V2

220-240V 2W-2700K 150LM

Ø:64mm H:140mm Clear



G40TP-QC-U

220-240V 0.6W-2700K 30LM

Ø:40mm H:68mm Clear



G40-QC-V1

220-240V 0.3W-2700K 20LM

Ø:40mm H:68mm Clear



— ML-T30/1000-PW-S —

220-240V 8W -2700K 530LM

Ø:30mm H:1000mm Porcelain



— ML-T30/500-PW-S —

220-240V 6W -2700K 380LM

Ø:30mm H:500mm Porcelain



— ML-T30/300-QC-S —

220-240V 5W-2700K 300LM Ø:30mm H:300mm Clear



— ML-T30-500-QC-S —

220-240V 6W-2700K 400LM Ø:30mm H:500mm Clear



MICROVAVE BULB



Dimmable & warm white glow , convenient for your cooking



A165ET-MG-S	220-240V	2200K-4W	Ø:140mm	H:405mm	Half Red
A165ET-MG-S	220-240V	2200K-4W	Ø:140mm	H:405mm	Half Red

REFRIGERATOR LED BULB




A165ET-MG-S	220-240V	2200K-4W	Ø:140mm	H:405mm	Half Red
A165ET-MG-S	220-240V	2200K-4W	Ø:140mm	H:405mm	Half Red



LED FILAMENT BULB



- ✓ Amber/ Smoky/ Clear/ Frosted Colored Bulb Shell Of High Clarity,perfect Decorative Choice
- ✓ None Flicker With Minimized Flickering
- ✓ Optional Long / Short Filament For Different Visual Effect
- ✓ Dimmable Models Option
- ✓ Lifetime Of 25,000 Hrs. With 2 Years Warranty



LED FLEXIBLE FILAMENT BULB -AMBER



C35-PA-QD
220-240V 3W-1800K 150LM
Ø:35mm H:91mm Amber



G35BTL-PA-QD
220-240V 3W-1800K 150LM
Ø:35mm H:123mm Amber



G45-PA-QD
220-240V 3W-1800K 150LM
Ø:45mm H:75mm Amber



G45-PA-QD
220-240V 3W-1800K 150LM
Ø:45mm H:71mm Amber



A60T-PA-QD
220-240V 4W-1800K 150LM
Ø:60mm H:108mm Amber



A60-PA-QD
220-240V 4W-1800K 150LM
Ø:60mm H:108mm Amber



ST64-PA-DS
220-240V 4W-1800K 150LM
Ø:64mm H:140mm Amber



ST64-PA-S3
220-240V 4W-1800K 150LM
Ø:64mm H:140mm Amber



T45-PA-S3
220-240V 4W-1800K 150LM
Ø:45mm H:110mm Amber



G80-PA-PS
220-240V 4W-1800K 150LM
Ø:80mm H:118mm Amber



LED FLEXIBLE FILAMENT BULB -AMBER



T30-PA-SP
220-240V 4W-1800K 150LM
Ø:30mm H:300mm Amber



T30-PA-S3
220-240V 4W-1800K 150LM
Ø:30mm H:185mm Amber



G125-PA-S3
220-240V 4W-1800K 150LM
Ø:125mm H:176mm Amber



G125-PA-QD
220-240V 4W-1800K 150LM
Ø:125mm H:176mm Amber



G95-PA-SL
220-240V 4W-1800K 150LM
Ø:95mm H:140mm Amber



G80-PA-5
220-240V 4W-1800K 150LM
Ø:80mm H:118mm Amber



G125-PA-PS
220-240V 4W-1800K 150LM
Ø:125mm H:176mm Amber



G80-PA-DL
220-240V 4W-1800K 150LM
Ø:80mm H:118mm Amber



G125-PA-CL
220-240V 4W-1800K 150LM
Ø:125mm H:176mm Amber



G80-PA-PS
220-240V 4W-1800K 150LM
Ø:80mm H:118mm Amber



LED FLEXIBLE FILAMENT BULB -CLEAR



C35-QG-QD
220-240V 3W-1800K 120LM
Ø:35mm H:90mm Clear



C35-QG-S3
220-240V 3W-1800K 120LM
Ø:35mm H:90mm Clear



G145-QG-QD
220-240V 3W-1800K 120LM
Ø:45mm H:71mm Clear



A60T-QG-QD
220-240V 3W-1800K 150LM
Ø:60mm H:108mm Clear



G80-QG-S3
220-240V 4W-1800K 150LM
Ø:80mm H:118mm Clear



ST64-QG-S3
220-240V 4W-1800K 150LM
Ø:64mm H:140mm Clear



G125-QG-QD
220-240V 4W-1800K 150LM
Ø:125mm H:176mm Clear



G95-QG-QD
220-240V 4W-1800K 150LM
Ø:95mm H:140mm Clear



LED FLEXIBLE FILAMENT BULB -SMOKED



G45-SK-S3
220-240V 3W-1800K 90LM
Ø:45mm H:71mm Smoked



C35-SK-S3
220-240V 3W-1800K 100LM
Ø:35mm H:90mm Smoked



ST64-SK-S3
220-240V 4W-1800K 100LM
Ø:64mm H:140mm Smoked



A60-SK-QD
220-240V 4W-1800K 100LM
Ø:60mm H:108mm Smoked



G80-SK-DS
220-240V 4W-1800K 100LM
Ø:80mm H:140mm Smoked



G95-SK-DS
220-240V 4W-1800K 100LM
Ø:95mm H:140mm Smoked



G125-STC-S3
220-240V 4W-1800K 100LM
Ø:125mm H:176mm Smoked



G80-SK-DL
220-240V 4W-1800K 100LM
Ø:80mm H:118mm Smoked



LED REGULAR FILAMENT BULB -AMBER



LED REGULAR FILAMENT BULB -AMBER



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
C35-QC-V4	35x90	Amber	4x38	2700	320	120V/230V	E14/E27	4w	4w
C35-QC-V6	35x90	Amber	6x38	2700	500	120V/230V	E14/E27	5w	5w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
A60-QC-V4	60x108	Amber	4x38	2700	320	120V/230V	E26/E27	4w	4w
A60-QC-V6	60x108	Amber	6x38	2700	600	120V/230V	E26/E27	6w	6w
A60-QC-V8	60x108	Amber	8x38	2700	480	120V/230V	E26/E27	8w	8w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
ST64-QC-V4	64x140	Amber	4x38	2700	320	120V/230V	E26/E27	4w	4w
ST64-QC-V6	64x140	Amber	6x38	2700	600	120V/230V	E26/E27	6w	6w
ST64-QC-V8	64x140	Amber	8x38	2700	480	120V/230V	E26/E27	8w	8w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
G125-QC-V4	125x176	Amber	4x38	2700	320	120V/230V	E26/E27	4w	4w
G125-QC-V6	125x176	Amber	6x38	2700	600	120V/230V	E26/E27	6w	6w
G125-QC-V8	125x176	Amber	8x38	2700	480	120V/230V	E26/E27	8w	8w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
G95-QC-V4	95x140	Amber	4x38	2700	320	120V/230V	E26/E27	4w	4w
G95-QC-V6	95x140	Amber	6x38	2700	600	120V/230V	E26/E27	6w	6w
G95-QC-V8	95x140	Amber	8x38	2700	480	120V/230V	E26/E27	8w	8w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
T45-QC-V4	45x110	Amber	4x38	2700	320	120V/230V	E26/E27	4w	4w
T45-QC-V6	45x110	Amber	6x38	2700	600	120V/230V	E26/E27	6w	6w

LED REGULAR FILAMENT BULB -CLEAR



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
T25-QC-V4	25X95	CLEAR	4x38	2700	320	120V/230V	E26/E27	4w	4w
T25-QC-V6	25X95	CLEAR	6x38	2700	600	120V/230V	E26/E27	6w	6w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
T45-QC-V4	45X110	CLEAR	4x38	2700	320	120V/230V	E26/E27	4w	4w
T45-QC-V6	45X110	CLEAR	6x38	2700	600	120V/230V	E26/E27	5w	5w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
T25-QC-V4	25X115	CLEAR	4x38	2700	320	120V/230V	E26/E27	4w	4w
T25-QC-V6	25X115	CLEAR	6x38	2700	600	120V/230V	E26/E27	5w	5w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
T20-QC-V4	20x110	CLEAR	2x38	2700	200	120V/230V	E26/E27	2w	4w
T20-QC-V6	20x110	CLEAR	2x68	2700	200	120V/230V	E26/E27	2w	5w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
ST64-QC-V4	64x140	CLEAR	4x38	2700	320	120V/230V	E26/E27	4w	4w
ST64-QC-V6	64x140	CLEAR	6x38	2700	600	120V/230V	E26/E27	5w	5w
ST64-QC-V8	64x140	CLEAR	8x38	2700	480	120V/230V	E26/E27	6w	6w





H125-FL-CL
220-240V 3W-2200K 120LM Ø:125mm H:176mm Clear



G95-FC-CL
220-240V 3W-2200K 120LM
Ø:95mm H:140mm Clear



A19P-FC-CL
220-240V 3W-2200K 120LM
Ø:60mm H:108mm Clear



ST64-FC-CL
220-240V 0.6W-2700K 30LM
Ø:64mm H:140mm Clear



G40-QC-V1
220-240V 0.3W-2700K 20LM
Ø:40mm H:68mm Clear





W-FILAMENT BULB



ST64-INA-40W
220-240V 40W 200LM
Ø:64mm H:140mm Amber



ST64-INA-40W
220-240V 40W 200LM
Ø:140mm H:405mm Amber



W-FILAMENT BULB



Model	Size(Mm)	Colour	Lumen	Voltage	Power
S14-INC	64x140	Amber	320	40w	4w



Model	Size(Mm)	Colour	Lumen	Voltage	Power
T45	64x140	Amber	320	40w	4w



Model	Size(Mm)	Colour	Lumen	Voltage	Power
A60	64x140	Amber	320	40w	4w



Model	Size(Mm)	Colour	Lumen	Voltage	Power
A60T	64x140	Amber	320	40w	4w



W-FILAMENT BULB



Model	Size(Mm)	Colour	Lumen	Voltage	Power
G80	64x140	Amber	320	40w	4w



Model	Size(Mm)	Colour	Lumen	Voltage	Power
G80	64x140	Amber	320	40w	4w



Model	Size(Mm)	Colour	Lumen	Voltage	Power
G95	64x140	Amber	320	40w	4w



Model	Size(Mm)	Colour	Lumen	Voltage	Power
G125	64x140	Amber	320	40w	4w





COPPER WIRE LAMP



A165ET-CW-A

220-240V 3W-1800K Ø:140mm H:405mm 120LM Half Red



CRI > 90



No Dimmable



Base cap: E27



25,000 hours



G95-CW-AM
 220-240V 3W-1800K 120LM
 Ø:95mm H:140mm Amber

   
CRI No Dimmable Base cap:E27 25,000hours



D95D-CW-AM
 220-240V 3W-1800K 120LM
 Ø:95mm H:140mm Amber

   
CRI No Dimmable Base cap:E27 25,000hours



G125-CW-AM
 220-240V 6W-2700K 420LM
 Ø:125mm H:176mm Amber

   
CRI No Dimmable Base cap:E27 25,000hours


ST64-CW-AM
 220-240V 6W-2700K 420LM
 Ø:64mm H:140mm Amber

   
CRI No Dimmable Base cap:E27 25,000hours



R220-JBBU-S

Our curviest model with a spiraled led. Eht our led shaped leds and the gold ginish give light source a classic geel.
This model roeks best with our E27 Cord Set.



— ST64-3DYL —

220-240V 4W-2700K Ø:64mm H:140mm 100LM 3D Yellow





A60-3DBU
220-240V 4W-2700K 100LM
Ø:60mm H:108mm 3D Blue

A60-3DPL
220-240V 4W-2700K 100LM
Ø:60mm H:108mm 3D Puper


ST64-3DBU
220-240V 4W-2700K Ø:140mm H:405mm 100LM 3D Blue



D110S-3DBU
220-240V 4W-2700K 100LM
Ø:110mm H:165mm 3D Blue

D110-3DPL
220-240V 4W-2700K 100LM
Ø:110mm H:145mm 3D Puper






S14 SMART STRING LIGHT



- ♥ S14 smart led string light
- ♥ Bulb Type: E26
- ♥ Bulb Wattage: 1W
- ♥ Bulb Material: PVC
- ♥ Waterproof Grade: IP65
- ♥ Remote Control: Included
- ♥ Length:25Ft 25 Heads
- ♥ Input:120V
- ♥ Function:Wifi control,RGBW changes
- ♥ Breath,Jump,9 scene.

 works with Amazon Alexa

 works with Google Assistant



STRING LIGHT



S14DGZ-LED-RE

S14 led string light
 Bulb Wattage: 1W
 Waterproof Grade: IP65
 Length:48Ft 15 Heads
 Bulb Type: E26
 Bulb Material: PVC
 Remote Control: Included
 Input:120V/220V Adapter

A165ET-MM-S

S14 led string light
 Bulb Wattage: 1W
 Waterproof Grade: IP65
 Length:48Ft 15 Heads
 Bulb Type: E26
 Bulb Material: PVC
 Remote Control: Included
 Input:120V/220V Adapter



A165ET-MM-S

- 48FT-15 HEADS-S142W-2200K/4000K/5000K
- 1: 2200k-4000k-5000k CCT change
 - 2: 25%-50%-75%-100% dimmable
 - 3: breath,auto jump function
 - 4: low-voltage



G40 STRING LIGHT



G40DS-LED-2700K

25FT 25HEADS G40 1W-2700K IP45

G40 led light Bulb Type: E12
Bulb Wattage: 1W Bulb Material: PVC

Waterproof Grade: IP45 Remote Control: Included

Length:25Ft 25 Heads Input:120V

SMART G40 STRING LIGHT



G40DGZ-LED-SR

G40 led smart string light

Bulb Type: E12 Bulb Wattage: 0.5W
Bulb Material: PVC Waterproof Grade: IP45

Remote Control: Included Length:25Ft 25 Heads

Input:120V/220V Adapter



G40 INCANDESCENT STRING LIGHT



G40WS-INC-7W-2200K

G40 incandescent string light
Bulb Type: E12 Bulb Wattage: 7W
Bulb Material: glass Waterproof Grade: IP45
Length: 25Ft 25 Heads Input: 120V

C7 STRING LIGHT



C7SMD-LED-1W-2200K

C7 incandescent string light
Bulb Type: E12 Bulb Wattage: 1W
Bulb Material: PC Waterproof Grade: IP45
Length: 25Ft 25 Heads Input: 120V



— OMT-006 —

φ 150xH250 Globe Ceiling Light Black



OMT-007
φ 170xH225
Globe Ceiling Light
Black

OMT-005
φ 200xH240
Globe Ceiling Light
Black





PENDANT LAMP



— OMT-014 —

φ 190xH415 Industrial Table Light White



OMT-008
φ 105xH1200
Tube Pendant Light
Black



OMT-009
φ 115xH1200
Glass Pendant Light
Black



OMT-015
φ 115xH1200
Glass Pendant Light
Gold



OMT-016
φ 115xH1200
Glass Pendant Light
Black



OMT-010
φ 220xH1200
Glass Pendant Light
Black



OMT-011
φ 150xH1200
Glass Pendant Light
Black



OMT-017
φ 115xH1200
Glass Pendant Light
White




OMT-018
φ 115xH1200
Glass Pendant Light
White



OMT-012
φ 138xH1200
Glass Pendant Light
Silver



OMT-013
φ 160xH1200
Crystal Pendant Light
Amber



— OMT-019 —
φ 210x150xH220
Globe wall light
Black

— OMT-020 —
φ 160x160xH240
Globe wall light
Black



— OMT-021 —
∅ 210x150xH220
Globe wall light
Black

— OMT-022 —
∅ 160x160xH240
Globe wall light
Black

— OMT-023 —
∅ 210x150xH220
Globe wall light
Black

— OMT-024 —
∅ 160x160xH240
Globe wall light
Black



— OMT-025 —
∅ 210x150xH220
Globe wall light
Black

— OMT-026 —
∅ 160x160xH240
Globe wall light
Black



— OMT-027 —
∅ 210x150xH220
Globe wall light
Black

— OMT-028 —
∅ 160x160xH240
Globe wall light
Black



OMT-029
 ∅ 190xH415
 Industrial Table Light
 Black



PRODUCT INFORMATION

Out curviest medel with a spiraled led. Eht our led shaped leds and the gold ginish give light source a classic geel. This model roeks best with our E27 Cord Set.



OMT-030
 ∅ 110xH300 Crystal table light



OMT-031
 ∅ 215xH270 Silver

OMT-032
φ 210x150xH220
Globe wall light
Black



OMT-033
φ 210x150xH220
Globe wall light
Black



OMT-034
φ 190xH415
Industrial Table Light
Black



OMT-035
φ 190xH415 Industrial Table Light Black



OMT-036
φ 270xH310 Industrial Table Light Black



— OMT-037 —
 φ 140xH420
 Globe wall light
 Black

— OMT-038 —
 φ 250xH450
 Globe wall light
 Black

— OMT-039 —
 φ 200xH400
 Globe wall light
 Black

— OMT-040 —
 φ 140xH450
 Globe wall light
 Gold



— OMT-041 —
 ∅ 380x140xH620
 Globe wall light
 Black

— OMT-042 —
 ∅ 250xH380
 Globe wall light
 Black

— OMT-043 —
 ∅ 140xH405
 Globe wall light
 White

— OMT-044 —
 ∅ 140xH420
 Globe wall light
 White



LP-01-GOLD 5x10cm
 LP-01-WHITE 5x10cm
 LP-01-BLACK 5x10cm
 LP-01-GREY 5x16cm
 LP-02-GOLD 5x16cm
 LP-02-WHITE 5x16cm
 LP-02-BLACK 5x16cm
 LP-03-GREY 5x16cm



LP-04-GOLD 4x4.5cm
 LP-05-SILVER 4x4.5cm
 LP-05-GOLD 4x4.5cm
 LP-06-GOLD 4x4.5cm
 LP-02S-SILVER 6x16.5cm
 LP-02S-BLACK 6x16.5cm



TL-MARBLE-SQ1 BLACK 6.5x6.5x9cm
 TL-MARBLE-SQ1 WHITE 6.5x6.5x9cm
 TL-MARBLE-SQ2 WHITE 5x10cm
 TL-MARBLE-SQ2 BLACK 5x16cm
 TL-MARBLE-CL01 BLACK 7x7x9.5cm
 TL-MARBLE-CL02 BLACK 7x7x9.5cm
 TL-MARBLE-CL01 WHITE 7x7x9.5cm



TL-WOOD-SQ ORIGINAL 7x7x8cm
 TL-WOOD-WD DW 6.5x6.5x9cm
 TL-WOOD-CL DW 6.5x6.5x9cm
 TL-MT-SQ1 BLACK 6.5x6.5x9cm
 TL-MT-SQ2 BLACK 6.5x6.5x9cm
 TL-MT-CL1 BLACK 5x16cm